

FORD MOSS Fungi Records		
Name	Habitat	Common Name
<i>Some species records are duplicated where the description of the habitat differs between the two sightings on different dates</i>		
<i>Amanita citrina</i> var <i>alba</i>	In leaf litter solitary but scattered among Quercus and Pinus	
<i>Amanita fulva</i>	Scattered in soil in and around Betula pendula in quite large amounts	Tawny gristle
<i>Amanita pantherina</i>	In mixed woodland at left side of the reserve top of track	Panther cap
<i>Armillaria mellea</i>	At the base of Quercus trunk and exposed roots	Honey fungus
<i>Auricularia auricula judae</i>	On standing trees of Sambucus in tiers	Jelly ear
<i>Bulgaria inquinans</i>	Large numbers on fallen branch of Quercus	Black bulgar
<i>Chroogomphus rutilus</i>	Soil grass verge in small groups next to Pinus	Copper spike
<i>Clavulinopsis corniculata</i>	In small clumps scattered in short grass in unimproved pasture	Meadow coral
<i>Cystoderma amianthium</i>	On heath unimproved pasture in large scattered groups	Earthy powdercap
<i>Cystoderma amianthium</i>	In unimproved pasture in small groups widespread	Earthy powdercap
<i>Daedaleopsis confragosa</i>	Several brackets on trunks and branches of Salix in large numbers	Blushing bracket
<i>Exidia glandulosa</i>	On twigs of fallen Quercus clusters of fruiting bodies on branches	Witches butter
<i>Exidia nucleata</i>	On dead fallen branches and twigs	Crystal brain
<i>Gymnopilus junonius</i>	At base of Crataegus tree next to path in pasture area in small cluster	Spectacular rustgill
<i>Gymnopilus penetrans</i>	Growing from wood on stumps and roots of Pinus sylvestris	Common rustgill
<i>Gymnopilus penetrans</i>	On fallen branches and exposed roots and stumps of Pinus	Common rustgill
<i>Hygrocybe ceracea</i>	Scattered in small groups in short grass on unimproved pasture	Butter waxcap
<i>Hygrocybe coccinea</i>	Abundant in small groups in shorter grass in unimproved pasture	Scarlet waxcap
<i>Hygrocybe colemanniana</i>	Small group in short grass on ridge left side of track in unimproved pasture	Toasted waxcap
<i>Hygrocybe conica</i>	Scattered in small groups in short grass on unimproved pasture	Blackening waxcap
<i>Hygrocybe insipida</i>	In short grass on mounds scattered in unimproved pasture area	Spangle waxcap
<i>Hygrocybe laeta</i>	In large groups in short grass in unimproved pasture	Heath waxcap
<i>Hygrocybe pratensis</i>	In small groups in unimproved pasture in longer grass	Meadow waxcap
<i>Hygrocybe psittacina</i>	In small groups on unimproved pasture in shorter grass	Parrot waxcap
<i>Hygrocybe virginea</i>	In large scattered groups in shorter grass in unimproved pasture	Snowy waxcap
<i>Hygrocybe virginea</i> var <i>fuscescens</i>	Small trooping group in grass at side of track in unimproved pasture	
<i>Hygrophoropsis aurantiaca</i>	In leaf litter and grass under Pinus and Quercus in scattered small groups	False chanterelle
<i>Hypholoma fasciculare</i>	In scattered clumps on fallen branches stumps or root system of Pinus	Sulphur tuft
<i>Laccaria amethystina</i>	In large scattered groups in mixed woodland area	The amethyst deceiver
<i>Laccaria amethystina</i>	In leaf litter in small scattered groups under Quercus and Pinus	The amethyst deceiver
<i>Laccaria laccata</i>	In large scattered groups in mixed woodland area	The Deceiver
<i>Laccaria laccata</i>	In leaf litter in small scattered groups under Quercus and Pinus	The Deceiver
<i>Lactarius quietus</i>	Scattered in leaf litter under Quercus	Oak milkcap
<i>Lactarius quietus</i>	In grass leaf litter scattered large amounts under Quercus	Oak milkcap
<i>Lactarius turpis</i>	Lots scattered in leaf litter grass under Betula pendula	Ugly milkcap
<i>Lactarius vellereus</i>	A few scattered in leaf litter grass under Quercus	Fleecy milkcap
<i>Leccinum virsipella</i>	In moss leaf litter under Betula solitary	Orange birch bolete
<i>Lepista nuda</i>	In grass at edge of woodland in small groups	Blewit
<i>Lepista nuda</i>	In grass under Ulex europaeus in small clusters	Blewit
<i>Lycoperdon nigrescens</i>	In soil leaf litter grass near Pinus silvestris	Blackish puffball
<i>Lycoperdon nigrescens</i>	On grassy mounds in unimproved pasture area in small groups	Blackish puffball
<i>Macrotypula juncea</i>	On twigs of fallen Salix only on fruiting body on twig	Slender club
<i>Melanoleuca arcuata</i>	Scattered in longer grass in unimproved pasture	
<i>Mycena epipterygia</i>	In mossy grass in unimproved pasture area	Yellowleg bonnet
<i>Mycena pseudocoticola</i>	On mossy trunks of Salix several fruiting bodies	
<i>Mycena pura</i>	In small group under Ulex europaeus in unimproved pasture area	Lilac Bonnet
<i>Omphalina ericetorum</i>	In large amounts on peat and moss alongside the track	Heath navel
<i>Paxillus involutus</i>	In small groups in leaf litter grass under Betula pendula	Brown rollrim

<i>Phellinus igniarius</i>	A few brackets on Salix in unimproved pasture area towards the pond	Willow Bracket
<i>Pholiota squarrosa</i>	Growing from base of Salix on right side of the track	Shaggy scalycap
<i>Plicatura crispa</i>	In overlapping tiers on fallen Salix branches and twigs	Crimped gill
<i>Pluteus cervinus</i>	On rotten fallen branches of broad leaved trees	Deer shield
<i>Polyporus leptoccephalus</i>	On mossy trunks of Salix several fruiting bodies	Blackfoot polypore
<i>Polyporus tuberaster</i>	Growing from Ulex branch in pile of branches next to the path	
<i>Russula aquosa</i>	In mossy peat wet area with Betula and heather	
<i>Scleroderma citrinum</i>	Soil heath under Birch in scattered groups	Common Earthball
<i>Scleroderma citrinum</i>	On soil grass in small groups under Quercus	Common Earthball
<i>Stereum gausapatum</i>	On trunk of fallen Quercus on right side of track towards style area	Bleeding oak crust
<i>Stropharia semiglobata</i>	On cow/sheep manure in groups in pasture field after style	Dung roundhead
<i>Strobilurus tenacellus</i>	On fallen cones of Pinus silvestris one or two per cone in very large numbers	Pinecone cap
<i>Trametes versicolor</i>	In overlapping tiers on small Betula stumps	Turkeytail
<i>Tremella mesenterica</i>	On Ulex europaeus on living and dead branches	Golden jelly fungus
<i>Trichoglossum hirsutum</i>	Scattered in mossy grass on right side of track on mounds	
<i>Tricholoma terreum</i>	In grass at edge of Pinus sylvestris at reserve entrance path	Grey knight
<i>All records courtesy of Sheila Lillie from Lanton, north of Wooler</i>		