## **Alnwick Wildlife Group**

## Promoting awareness of the countryside and its flora and fauna



www.alnwickwildlifegroup.co.uk

Email: redsquirrel@alnwickwildlifegroup.co.uk

NEWSLETTER 168 September 2015 Review of August 2015

NEXT MEETING: OCTOBER 28TH 2015 NORTHUMBRIA BIRD ATLAS SPEAKER: TIM DEAN

Tim is one of Northumberland's leading bird watchers. His knowledge regarding birds in Northumberland and further afield is second to none. Tim played a major role in the development of the Northumbria Bird Atlas and visited every tetrad in the County in the search of breeding and wintering species. This should be a fantastic talk from a very dedicated ornithologist.

## **ALNWICK LOCAL WILDLIFE SITES – AWG SURVEYS**

Members may remember that earlier this year AWG agreed to carry out some basic survey work for Alnwick Town Council. The Thomas Percy woodland and the Cawledge Burn woodland had both been proposed as Local Wildlife Sites in the Alnwick and District Local Plan.

Several members got involved in looking at the wildlife in these two woods, with a strong emphasis on plants. The plants have the great advantage that they do not move around or hide. Usually it is the vegetation of an area that determines the rest of the wildlife because it provides food and shelter and places to breed – the three components of a habitat.

I should like to thank those members who helped out with this work. Based on what we found I wrote up two reports for the Town Council. I took the liberty, without consulting anyone else, of including some straightforward recommendations for the future if the Council does decide to adopt the two woods.

Please send sightings reports for August, no later than 6th October 2015 to: Ian & Keith Davison, The Bungalow, Branton, Powburn, NE66 4LW or Tel: 01665 578 357 or email to redsquirrel@alnwickwildlifegroup.co.uk Copies of the monthly Newsletter and sightings will be made available on the web site one month after the paper publication.

August both near Longhorsley and nesting in plastic barrels; one with a single pulli and the other with three. I also helped return two Tawny Owls to the wild — which had been looked after by Peter Middleton at High Trewitley Farm. Unfortunately well meaning folk tend to pick young tawny pulli up from the ground and instead of putting them safe 'up a tree' tend to hand them in to vets and sanctuaries. Of course if they really are injured this makes sense but often they have just tumbled out of a tree and their parents will come back to feed them. To the best of my knowledge no tawnies bred near Lemmington Hall this year so releasing this young male and female made sense.

Along with trainees I did five ringing sessions at Howick this month and the migration of warblers to Africa in clearly underway – starting with the Blackcaps, Chiffchaffs, and most recently 9 Willow Warblers on the 22<sup>nd</sup>.

I departed to Portugal in the last week to monitor migration (and the local birds) in the Algarve. MZ and I had the pleasure of ringing the resident Little Owls, Kingfishers, Azure Winged Magpie; and a range of warblers (on their way south). However, the most exciting catch to me was a Nightingale on its way to Senegal (and very likely hatched in Southern England).

I will be continuing to try and ring at least once a week at the autumn (migration) ringing site at Howick Arboretum until November. This will generally be on a Saturday morning but may be moved by the weather and circumstances. You're welcome to come along to learn/watch/take pictures; just look for us by the picnic benches in the car park. Get in touch if wanting to check a day and times.

Phil Hanmer
A Ringer & Trainer
Natural History Society of Northumbria Ringing
Group (Hancock Museum)
E-mail: tytoalbas@btinternet.com







## **STEWCHAT**

August is an exciting month on the Northumberland coast for wildlife. It's the first month of proper autumn migration, of birds, moths and butterflies.

If we get a spell of 'easterly' weather just about anything can happen on the bird front, while nice warm southerlies should make the garden lepidoptera interesting. Should the days turn cool with a northerly blow, its to the sea we turn, to look out for some special seabirds tracking up the coast. However, maybe its best not to mention a westerly.

This year we have been lucky and sampled a variety of weather patterns during the month.

On the 1<sup>st</sup> we still had young **Tree Sparrows** in our nest boxes, possibly from third broods showing that whilst autumn is creeping in, summer might not be over just yet.

The first flurry of excitement came on the 2<sup>nd</sup>. Firstly though, I checked out the Coquet Estuary during the morning seeing, amongst others, **7+ Little Egrets**, **1 Greenshank**, **4 Shoveler**, **a Roseate Tern** fishing and last year's returning **Caspian Gull**.



Figure 1: Little Egret, Amble Marina.

At lunchtime, news filtered through of a juvenile **Black Stork** on a non- descript farm track just north of Haggerston Castle, so off I went with high hopes. Unfortunately they were dashed as the bird had flown off several hours earlier to be found the following morning at Spurn Point, East Yorkshire.

The highlight of the next week had to be Tom Jones at Alnwick Pastures on the 8th despite what the press say. I returned home to get some nice views of

a barrel shaped Tawny Owl huddled against a pine near our Howick Village Hall.

On 9<sup>th</sup>, another visit down to Warkworth was very pleasant. **2 Kingfishers** chased and squabbled along the river at the Butts, seen from the road bridge first. Up at the beach car park, **4+ Yellow Wagtails**, **a Wheatear** and several common warbler species were the best on offer.

Back home at Howick 7 Swifts flew south.

A gloriously sunny day on 11<sup>th</sup> tempted me to take a flexi day off work and head again down to the Coquet at Warkworth. A **Peregrine** flew low overhead at Amble Marina while a **Comma** butterfly was seen on privet next to Amble top Co-Op car park.

Back home, a **Spotted Flycatcher** near Howick Pond Field was my only record here this year, though it was a juvenile so it may have been from local stock.

The evening of the 13<sup>th</sup> saw me down at Craster looking at a sea almost devoid of bird life. On the rocks though were **356+ Golden Plover, 2 Dunlin and a Knot**. The Dunlin and Knot are tricky to catch up with on our rocky shore at Howick (common on sandy or muddy shores) and the Golden Plover flock was an exceptional count here.



Figure 2: Pied Flycatcher in our garden.

On Sunday morning 16<sup>th</sup> there appeared to have been an arrival of common migrants at Warkworth Beach Car Park with 6+ Whitethroat, 6+ Blackcap, Sedge Warbler, 6+ Willow Warbler, 4+ Chiffchaff and a Yellow Wagtail. Down on the estuary wader numbers were on the up too with 228+ Dunlin and 58+ Ringed Plovers boosting totals.

In our Howick garden there were a number of butterflies – Wall Brown, Small Tortoiseshell, Peacock, Meadow Brown, small and Large Whites.

The stronger easterly wind did its magic in our garden on the 23<sup>rd</sup> when later in the afternoon, **2 Pied Flycatchers** dropped in. These were new for the garden and I was very excited to see them.

I wondered if they were indicators that something rarer might be about so I called in a days holiday the next morning and headed up to Craster for a look. Numbers were a bit disappointing compared to the conditions, with a lone **Lesser Whitethroat** being the best on offer.

The annual leave wasn't a waste though because back at Howick a rare moth in Northumberland, the **Annulet**, had side dodged the moth trap to be found resting on our bedroom wall. Out in the garden both **Green Sandpiper** and **Greenshank** flew overhead and lots of butterflies were around of 9 species including migrant **Painted Ladies** with 3 on our buddleias.



Figure 3: The Annulet

Over the August Bank Holiday Weekend some nice weather meant that bird migration, was reduced, but birds continued to trickle through. Short stops at Charlton Mires Pond had 3 Green Sandpipers, 13 Ruff and a Greenshank, Warkworth had 2 Reed Warblers, a bizarre record of a Nuthatch in the beach car park with a female Redstart. 2 Black tailed Godwits were at the marina. On the Monday I popped down to Craster again to view the sea. It was still relatively quiet but my first Great Skua and Wigeon of the year were added to my patch list ( 136 so far).

Whilst the month didn't provide anything earth shattering, a nice variety of migrants kept things ticking along nicely. Lets hope September keeps up the good work.



Figure 4: Painted Lady in our garden.

Stewart Sexton, Howick.

One of the commonest moths throughout the autumn is the Yellow-line Quaker (*Agrochola macilenta*). There is another closely related species (shown in the right-hand image) around at the same time but less common, called the Red-line Quaker (*Agrochola lota*).

As you can see, they both have a red and yellow line across the wing at about four-fifths from the base, but the strength of the red line is much greater on the Red-line Quaker. The background colour is usually a yellowish brown on the Yellow-line Quaker and a greyish brown on the Red-line Quaker, but both species can vary to a mid-brown colour making identification more difficult.





The larvae of the Yellow-line Quaker feed on many trees and herbaceous plants, while those of the Red-line Quaker only feed on catkins and leaves of sallows/willows. The adult moths feed at autumn flowers, especially those of lvy, and can be attracted to sugar mixtures, but are more likely to be seen at lit windows.

Alan Fairclough.

Drawings or photographs – that is the question. My Plant Corner articles have been in every newsletter except for the very first one. Until issue 110 they were all illustrated with my own line drawings of the plants I was writing about. But then, gradually, the rot set in and I began to use digital photos. As often as possible these have been my own, but some have been 'borrowed' from elsewhere.

The shift from drawings to photos happened for several reasons. One was laziness! Another was that, after drawing about 360 species I was tending to be left with ones that were, for me, very hard to draw with an accuracy that would actually show up the differences from other very similar species. Cow Parsley and Upright Hedge Parsley, for example, are both fiddly to draw and are very like each other.

Recently I started to think about the relative value of drawings and photos in botanical articles. Certainly good quality photos can be very striking, but the problem is that a single photo is rarely able to show all (or even any) of the diagnostic features needed to make a correct identification. Drawings, however, can and do artificially show all the important characteristics of a specimen if they are well drawn.

In this month's Plant Corner I thought I'd try to illustrate the point, using as my example Prickly Sow-thistle (*Sonchus asper*) and Smooth Sow-thistle (*S. oleraceus*). Until you know what to look for they are not dissimilar in the field. They are both prickly, despite the English name of the second one. So let's start with photos:






On the left is the Smooth Sow-thistle. It's nicely pictured against a dark background and in good lighting. The same is true of the Prickly Sow-thistle on the right. But if you were asked to pick out the diagnostic characters, apart from the right hand one being more prickly, you'd be hard-pressed to be precise.

Then we look at line drawings. These are the same two species and the images are taken from an excellent German book *Exkursionsflora von Deutschland*. The illustrations show the quite different shapes of the leaves

and that not all the leaves on the same species are necessarily always the same. The artist has also used the device of adding little arrows to point out the most important characteristics – the lobed leaves of the Smooth species and the different leaf bases and the ways they clasp the stems. This book has almost no written descriptions, which for me is very useful because my grasp of German is rudimentary. And it really doesn't need much written text apart from comments about colour and size which you can't tell from the drawings, although even then there are measuring bars added to relevant parts of the drawings (the solid bars are centimetres and the dotted ones are millimetres).



I certainly know which type of illustration I find more useful when trying to make an identification, and it's almost always not the photos.

All of this might suggest that I'm about to return to using my own drawings in these articles in the interests of diagnostic accuracy, but I fear that may be wishful thinking!

Richard

	SIGHTINGS AUGUST 2015
BIRDS	
Great Crested Grebe	2 at Branton Ponds all month
Grey Heron	3 at Fenham Flats on 3 <sup>rd</sup>
Little Egret	3 at Warkworth on 11 <sup>th</sup> 3 at Fenham Flats on 16 <sup>th</sup> 1 at Budle Bay
	on 22 <sup>nd</sup> 5+ at Warkworth on 23 <sup>rd</sup> and 30 <sup>th</sup> 1 at Fenham Flats on
	17 <sup>th</sup>
Pink-footed Goose	1 at Branton Ponds on 29 <sup>th</sup>
Common Scoter	1 off Craster on 31st
Teal	134 off Craster on 31st
Scaup	2 at Fenham Flats on 3 <sup>rd</sup>
Eider	39 at Fenham Flats on 1st
Red Breasted Merganser	1 at Fenham Flats on 13 <sup>th</sup>
Goosander	12 at Amble on 11 <sup>th</sup> 12 at Branton Ponds on 20 <sup>th</sup>
Red Kite	1 at Hulne Park on 30 <sup>th</sup>
Marsh Harrier	1 on Holy Island on 19 <sup>th</sup>
Hen Harrier	1 at Holy Island on 25 <sup>th</sup>
Peregrine	1 at Coquet Estuary on 11 <sup>th</sup> 1 at Holy Island on 25 <sup>th</sup>
Osprey	1 at Holy Island on 25 <sup>th</sup> 1 at Branton Ponds on 31 <sup>st</sup>
Sparrowhawk	1 at Holy Island on 25 <sup>th</sup> 1 at Branton Ponds on 25 <sup>th</sup>
Grey Partridge	8 at Smeafield on 3 <sup>rd</sup> and a pair with 11 young on 17 <sup>th</sup>
Quail	1 calling near Branton on 9 <sup>th</sup>
Water Rail	1at Ford Moss on 22 <sup>nd</sup>
Ringed Plover	143 at Fenham Flats on 16 <sup>th</sup> 61+ at Warkworth on 23 <sup>rd</sup>
Little Ringed Plover	6 at Bamburgh on 19 <sup>th</sup>
Grey Plover	55 at Fenham Flats on 16 <sup>th</sup>
Golden Plover	56 at Warkworth on 23 <sup>rd</sup>
Dotterel	1 at Newton Point on 20 <sup>th</sup>
Dunlin	128 at Fenham Flats on 16 <sup>th</sup>
Sanderling	14 at Fenham Flats on 16 <sup>th</sup>
Turnstone	20+ at Craster on 21 <sup>st</sup>
Oystercatcher	513 at Fenham Flats on 16 <sup>th</sup>
Bar-tailed Godwit	377 at Fenham Flats on 16 <sup>th</sup>
Black-tailed Godwit	4 at Low Newton scrape on 20 <sup>th</sup> 1 at Warkworth on 23 <sup>rd</sup> 2 at
black-tailed dodwit	Amble on 30 <sup>th</sup>
Curlew	126+ at Warkworth on 23 <sup>rd</sup> 550 at Fenham Flats on 3 <sup>rd</sup>
Whimbrel	8 at Holy Island on 24 <sup>th</sup>
Ruff	1 at Branton Ponds on 9 <sup>th</sup> and 3 on 21 <sup>st</sup> 1 at Budle Bay on 22 <sup>nd</sup> 13
Kull	at Charlton Mires flash on 30 <sup>th</sup>
Lanusing	50+ at Branton Ponds all month 260+ at Warkworth on 23 <sup>rd</sup> 100+
Lapwing	at Charlton Mires flash on 30 <sup>th</sup>
Vnot	
Knot Temmincks Stint	126 at Fenham Flats on 16 <sup>th</sup> 73+ at Warkworth on 23 <sup>rd</sup> 3 at Monks House Pool on 25 <sup>th</sup>
Little Stint	1 at Low Newton scrape on 20 <sup>th</sup> 1 on Low Newton beach on 26 <sup>th</sup>
Redshank	150+ at Warkworth on 23 <sup>rd</sup>
Spotted Redshank	1 at Budle Bay on 22 <sup>nd</sup> 1 at Branton Ponds on 23 <sup>rd</sup>
Greenshank	1 at Low Newton on 13 <sup>th</sup> 1 at Fenham Flats on 16 <sup>th</sup> 2 at Budle Bay on 22 <sup>nd</sup> 1 at Howick on 24 <sup>th</sup> 1 at Charlton Mires flash on 30 <sup>th</sup>
Green Sandpiper	1 at Hedgeley Lakes on 11 <sup>th</sup> and 22 <sup>nd</sup> 1 at Howick on 24 <sup>th</sup> 3 at

	Charlton Mires flash on 30 <sup>th</sup>
Purple Sandpiper	11 at Guile Point on 16 <sup>th</sup>
Common Sandpiper	7 at Branton Ponds on 24 <sup>th</sup> 2 at Charlton Mires flash on 30 <sup>th</sup>
Great Skua	1 off Craster on 21 <sup>st</sup> and 2 on 31 <sup>st</sup>
Mediterranean Gull	1 at Amble on 11 <sup>th</sup>
Caspian Gull	1 at Amble on 2 <sup>nd</sup>
Roseate Tern	1 at Budle Point on 27 <sup>th</sup> 2 off Craster on 31 <sup>st</sup>
Tawny Owl	2 in Branton on 11 <sup>th</sup> 1 at Eglingham on 26 <sup>th</sup>
Short-eared Owl	1 dead on 8 <sup>th</sup> on dunes at Greenhill
Swift	8 at Low Newton on 26 <sup>th</sup> 20+ at Budle Point on 27 <sup>th</sup> 6 at Bamburgh on 30 <sup>th</sup>
Kingfisher	1 at Branton Ponds on 7 <sup>th</sup> and 11 <sup>th</sup> 1 at Amble on 11 <sup>th</sup> 1 at
	Hedgeley on 16 <sup>th</sup> and 2 on 22 <sup>nd</sup> 1 at Fleetham NWT pond 1 <sup>st</sup>
Wryneck	1 at Holy Island on 24 <sup>th</sup> 1 at Budle Point on 27 <sup>th</sup>
Redstart	1 near Branton on 8 <sup>th</sup> 2 at Holy Island on 24 <sup>th</sup> 1 at Warkworth on
	30 <sup>th</sup> 1 at Branton Ponds on 31 <sup>st</sup>
Whinchat	1 at Ross Links on 13 <sup>th</sup>
Stonechat	2 at Ford Moss on 15 <sup>th</sup>
Sedge Warbler	5 at Warkworth on 30 <sup>th</sup>
Reed Warbler	2 at Warkworth on 30 <sup>th</sup>
Barred Warbler	4 on Holy Island on 19 <sup>th</sup>
Whitethroat	At Warkworth on 30 <sup>th</sup>
Lesser Whitethroat	1 at Low Newton on 25 <sup>th</sup>
Blackcap	Several juveniles at Branton Ponds on 7 <sup>th</sup> 3 at Warkworth on 30 <sup>th</sup>
Icterine Warbler	1 on Holy Island on 19 <sup>th</sup>
Willow Warbler	18+ at Warkworth on 30 <sup>th</sup>
Chiffchaff	6 at Warkworth on 30 <sup>th</sup>
Spotted Flycatcher	7 at Holy Island on 24 <sup>th</sup>
Pied Flycatcher	1 on Holy Island on 19 <sup>th</sup> 12 at Holy Island on 24 <sup>th</sup> 2 at Howick on 23 <sup>rd</sup>
Red Backed Shrike	1 at Holy Island on 24 <sup>th</sup> and on 30 <sup>th</sup>
Linnet	6 at Ross Links on 13 <sup>th</sup>
PLANTS	
Hair St John's Wort	At Branton Ponds on 10 <sup>th</sup>
Grass of Parnassus	At Holy Island on 18 <sup>th</sup>
Autumn Gentian	At Holy Island on 18 <sup>th</sup>
Common Centaury	At Holy Island on 18 <sup>th</sup>
MAMMALS	
Red Squirrel	1 near Breamish House on 5 <sup>th</sup> 1 near Beanley on 13 <sup>th</sup>
Porpoise	1 off Stag Rocks on 27 <sup>th</sup>
INVERTEBRATES	
Small Heath	Many at Ford Moss on 1 <sup>st</sup>
Ringlet	Several at Ford Moss on 1 <sup>st</sup>
Meadow Brown	Several at Ford Moss on 1 <sup>st</sup> 11 at Ross Links on 6 <sup>th</sup>
Wall	Several around Branton on 20 <sup>th</sup> 1 at Ross Links on 13 <sup>th</sup>
Small Skipper	6 at Ford Moss on 1 <sup>st</sup>
Small Copper	1 at Branton Ponds on 8 <sup>th</sup> and 3 on 11 <sup>th</sup> 5 at Ford Moss on 15 <sup>th</sup> 1 at Ross Links on 6 <sup>th</sup>

Red Admiral  3 at Smeafield on 17 <sup>th</sup> Small Tortoiseshell  3 at Branton Ponds on 10 <sup>th</sup> Several on Holy Island on 19 <sup>th</sup> Painted Lady  Several on Holy Island on 19 <sup>th</sup> 6 at Fenham Flats on 17 <sup>th</sup> 1 at Smeafield on 31 <sup>st</sup> Dark Green Fritillary  1 on Holy Island on 19 <sup>th</sup> 4 at Fenham Flats on 17 <sup>th</sup> 1 at Smeafield on 31 <sup>st</sup> Peacock  1 at Branton Ponds on 10 <sup>th</sup> 1 at Ford Moss on 15 <sup>th</sup> 3 at Ross Links
Grayling  Several on Holy Island on 19 <sup>th</sup> Several on Holy Island on 19 <sup>th</sup> 6 at Fenham Flats on 17 <sup>th</sup> 1 at Smeafield on 31 <sup>st</sup> Dark Green Fritillary  1 on Holy Island on 19 <sup>th</sup> 4 at Fenham Flats on 17 <sup>th</sup> 1 at Smeafield on 31 <sup>st</sup>
Painted Lady  Several on Holy Island on 19 <sup>th</sup> 6 at Fenham Flats on 17 <sup>th</sup> 1 at Smeafield on 31 <sup>st</sup> Dark Green Fritillary  1 on Holy Island on 19 <sup>th</sup> 4 at Fenham Flats on 17 <sup>th</sup> 1 at Smeafield on 31 <sup>st</sup>
Smeafield on 31 <sup>st</sup> Dark Green Fritillary  1 on Holy Island on 19 <sup>th</sup> 4 at Fenham Flats on 17 <sup>th</sup> 1 at Smeafield on 31 <sup>st</sup>
Smeafield on 31 <sup>st</sup> Dark Green Fritillary  1 on Holy Island on 19 <sup>th</sup> 4 at Fenham Flats on 17 <sup>th</sup> 1 at Smeafield on 31 <sup>st</sup>
on 31 <sup>st</sup>
on 31 <sup>st</sup>
Peacock 1 at Branton Ponds on 10 <sup>th</sup> 1 at Ford Moss on 15 <sup>th</sup> 3 at Ross Links
. Called I de Dianton i dinas dil 10 I del dia midos dil 15 I del Moss Ellins
on 13 <sup>th</sup>
Comma 1 at Amble on 11 <sup>th</sup> 1 at Branton Ponds on 16 <sup>th</sup> 1 at Ford Moss on
22 <sup>nd</sup>
Common Hawker 1 at Branton Ponds on 11 <sup>th</sup> several at Ford Moss on 22 <sup>nd</sup>
Southern Hawker 1 at Ford Moss on 1 <sup>st</sup> 1 at Branton Ponds on 6 <sup>th</sup> and 7 on 23 <sup>rd</sup>
Common Darter 1 at Branton Ponds on 3 <sup>rd</sup> 40+ at Hedgeley Lakes on 8 <sup>th</sup> 1 at Ford
Moss on 15 <sup>th</sup> 8+ at Fenham Flats on 16 <sup>th</sup> several at Ford Moss on
22 <sup>nd</sup>
Black Darter 1 at Ford Moss on 22 <sup>nd</sup>
Large-red Damselfly 1 at Ford Moss on 22 <sup>nd</sup>
Elephant Hawkmoth 1 at Branton on 3 <sup>rd</sup>
Garden Tiger 1at Branton on 3 <sup>rd</sup>
Antler moth 2 at Branton on 1 <sup>st</sup>
Scalloped Oak 1 at Branton on 1 <sup>st</sup>
Large Yellow Underwing 23 at Branton on 1 <sup>st</sup>
Dark Arches 25 at Branton on 1 <sup>st</sup>
Drinker 1 at Branton on 1 <sup>st</sup>
Dingy Shears 1 at Branton on 5 <sup>th</sup>
Purple Bar 1 at Branton on 5 <sup>th</sup>
Beautiful China-mark 1 at Branton on 11 <sup>th</sup>
Lesser Swallow Prominent 1 at Branton on 15 <sup>th</sup>
Chevron 1 at Ford Moss on 22 <sup>nd</sup>
Annulet 1 at Howick on 24 <sup>th</sup>
Sallow 1 at Branton on 25 <sup>th</sup>
Canary-shouldered Thorn 1 at Branton on 30 <sup>th</sup>
Great Water Beetle 1 at Branton Ponds on 27 <sup>th</sup>
REPTILES
Adder 1 at Branton Ponds on 11 <sup>th</sup>
RAINFALL 77mm
<b>OBSERVERS</b> W Banks, N Case, I&K Davison, T&J Dean, D Dallard, S Reay,
M&B Rolley, J Rutter, S Sexton, B Welch, Des Taylor, Trish Smith.